




OPTIONAL: HARD FLOOR  
OR CARPET FLOOR GLIDE



NYLON VERSION  
AVAILABLE

#### SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	700,5 mm [27.58 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	220,8 mm [8.69 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,12 Kg [4,67 lb]
ITEMS PER BOX	72
BOXES PER PALLET (MOQ)	2 boxes (144 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


#### PRODUCT CODES

##### SUPERLEGGERA MEDIUM - 5 STAR

POLISHED	5010890
BLACK PAINTED	5010891
SANDBLASTED	5010892

TECHNICAL DRAWING


SUPERLEGGERA MEDIUM - 5 STAR



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper  $\varnothing 40 / 44$  mm [1.57 / 1.73 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

## RELATED PRODUCTS



SUPERLEGGERA  
4 AND 5 STAR  
BASE COLLECTION



SUPERLEGGERO  
SUPPORT COLLECTION



TG C2 - 130 GAS SPRING  
EXT. Ø50mm  
BLACK: CODE 4501505  
CHROME: CODE 4501504



SG215 40 B  
CHROME GAS SPRING  
EXT. Ø44mm  
CODE: 4500085



Ø 40mm GAS  
SPRING COVER  
CODE: 4510166



Ø24 x 5 mm  
SMALL GLIDE  
HARD FLOOR: 4510100



Ø24 x 5 mm  
SMALL GLIDE  
CARPET FLOOR: 4510101



TAPERED PLASTIC BUSHING  
EXT. Ø50mm>INT. Ø40mm  
CODE: 4510165